

you can **RELY** on



www.cementaid.com

## SPECIFICATION FOR

## AIR-ENTRAINMENT ADMIXTURE (AEA)

# N-TAIR\*

### REQUIREMENT:

- Concrete resistant to freeze-thaw conditions. Improved durability.
- Lightweight aggregate concrete.
- Increased workability.

### PRODUCT TO USE:

## N-TAIR Air Entrainment Admixture (AEA)

### HOW TO SPECIFY:

All concrete shall contain Cementaid **N-TAIR** Air-Entraining Agent, at the rate of 60ml per 100kg bag of cement in the mix, or at rate established by trial mix for specified % "air-content". Water content shall be reduced to preserve slump.

### EFFECTS:

Increase workability of concrete and resistance to damage from frost, etc., without loss of strength. When used at above rate, the air entrained in machine-mixed concrete will be from 4% to 6% per volume.

### WHERE RECOMMENDED:

- Concrete resistant to freeze-thaw conditions. Improved durability.
- Lightweight aggregate concrete. Increased workability.
- Concrete subject to excessive changes of temperature.



AUSTRALIAN OWNED  
EXPORTERS TO THE WORLD

INDUSTRIAL FLOOR SPECIFICATIONS • CONCRETE WATERPROOFING & CORROSION-PROOFING ADMIXTURES  
OIL & SOLVENT PROOFING • SURFACE TOUGHENING & DUSTPROOFING • ANTI-CORROSION IMPREGNATIONS  
RAPID HARDENING • RETARDING • GEL CONTROL AGENT • MORTAR AND DAMPCOURSE ADMIXTURES, etc.

The information and recommendations herein are, as a result of experience and testing, accurate to the best of the seller's knowledge. However, as the proposed use and the circumstances surrounding such use are not known to the seller, it does not guarantee or warrant the product's suitability in any particular instance and shall not be liable for any loss or damage consequent upon any use whatsoever unless the seller has otherwise stipulated the product's suitability for a particular use in writing signed by a Director of the seller.

### TECHNICAL SERVICE OFFICES

#### ADELAIDE

Tel: (08) 8346 9711  
Fax: (08) 8346 9977

CEMENTAID (SA & NT) Pty Ltd

ACN: 089 037 749  
70 Chief Street

Brompton SA 5007

#### BRISBANE

Tel: (07) 3276 7388  
Fax: (07) 3276 7399

CEMENTAID (QLD) Pty Ltd

ACN: 009 716 018  
1/86 Boyland Avenue

Coopers Plains QLD 4108

#### MELBOURNE

Tel: (03) 9890 0487  
Fax: (03) 9890 6223

CEMENTAID (VIC) Pty Ltd

ACN: 004 518 889  
15 Clarice Road

Box Hill VIC 3128

#### PERTH

Tel: (08) 9470 5858  
Fax: (08) 9470 5999

CEMENTAID (WA) Pty Ltd

ACN: 000 477 476  
200 Star Street

Carlisle WA 6101

#### SYDNEY

Tel: (02) 9810 0725  
Fax: (02) 9810 4164

CEMENTAID (NSW) Pty Ltd

ACN: 000 366 549  
44 Alberto Street

Lilyfield NSW 2040